



# PELI™ AIR CASES

CATALOGUE

JANUARY 2020



SINCE 1976



Photo by Leo Rosas



LIFETIME GUARANTEE\*





# TABLE + OF CONTENTS

FEATURES	3
PELI AIR CASES	4-9
CASES SPECIFICATIONS	10
AVAILABLE STANDARD CONFIGURATIONS	11
PROTECTION SOLUTIONS	12
LIGHTWEIGHT PROTECTION FOR EVERYONE	13-15





# FEATURES

## + THE SCIENCE BEHIND STRENGTH AND LIGHTNESS

The Peli™ Air case has been designed to cut weight without compromising durability.

Our engineers have revolutionised the protector case by reducing structural waste while preserving Peli's legendary standards of strength. In development for years, the design team challenged the status quo to "add lightness" in every detail.

Here are some important reasons why Peli™ Air cases are both strong and light:

- Moulded from the next generation of Peli's lightweight HPX™ resin, a proprietary formula that rebounds without breaking
- Honeycomb structural elements that are actually stronger than solid polymer material
- Super-stiff "full box" sections engineered to create hollow parts

## + EXTREME ENGINEERING—UP TO 40% LIGHTER

Peli™ Air	Weight NF (kg)	Peli Equivalent	Weight NF (kg)	% var.
1485	2.1	1500	2.9	-26%
1525	2.7	1520	3.8	-28%
1535	3.9	1510	5.4	-28%
1555	3.3	1550	4.8	-35%
1605	4.2	1600	5.9	-33%
1615	6.4	1670	10.4	-40%

\* Case weights are actual and percentage variance is adjusted for interior volume.

## + UP TO THE TEST



It wouldn't be a Peli™ case if you couldn't drop it, kick it and run over it – and the Peli™ Air case is no different.

- Drop-tested on concrete with loads from 1.8 m on all sides and corners
- Submerged for 30 minutes at a depth of one meter
- Wheels are roll tested over 1 km with loads at 8 km/h
- 12.7 kg steel dart dropped on all sides from 1 m

## + SHARED FEATURES ACROSS ALL MODELS

- A Watertight O-Ring Gasket
- B New Style "Conic Curve" Lid Shape
- C Super-light Proprietary HPX2 Polymer
- D Stainless Steel Hasp Protectors
- E Proven Tough Double-Throw or Press & Pull Latches\*
- F Automatic Purge Valve Balances Air Pressure
- G New Removable Polycarbonate Card Holder, with Front or Side Placement
- H Rubber Overmoulded Handles
- Crushproof and Dustproof

\* Most Air cases come with double-throw latch unless stated otherwise



# PELI™ AIR

Meet the lightest premium Protector™ case on the planet. Up to 40% lighter\* than other polymer cases, Peli™ Air cases will lighten the loads of those who travel for work or leisure.

\*Check the specs for the exact weight of each model

Real photo of Peli Air case reaching 32,118m and -50° C in outer space.

See full video:



#### 45% DEEPER

With over 33 cm of depth, these cases have room for your deeper shaped equipment.



#### WHEELED CASES

- Quiet rolling stainless-steel bearing wheels
- Extending trolley handle (not available on 1745 case)



#### PRESS & PULL LATCHES

The Press & Pull latch is a unique latch that locks automatically, but opens with a light touch.



## 1465 AIR



### INTERNAL DIMS:

47.3 x 25.4 x 27.8 cm  
(18.62 x 9.99 x 10.93")

### EXTERNAL DIMS:

52.9 x 32.1 x 32.4 cm  
(20.83 x 12.62 x 12.75")

### WEIGHT:

3.2 kg (7.12 lbs.)

- Press and Pull latches
- Automatic purge valve
- Business card holder



## 1465EMS AIR



### INTERNAL DIMS:

47.3 x 25.4 x 27.8 cm  
(18.62 x 9.99 x 10.93")

### EXTERNAL DIMS:

52.9 x 32.1 x 32.4 cm  
(20.83 x 12.62 x 12.75")

### WEIGHT:

6 kg (13.30 lbs.)

- Removable trays
- Press and Pull latches
- Automatic purge valve
- Business card holder



## 1485 AIR

### INTERNAL DIMS:

45.09 x 25.86 x 15.62 cm  
(17.75 x 10.18 x 6.15")

### EXTERNAL DIMS:

48.69 x 32.51 x 17.50 cm  
(19.17 x 12.80 x 6.89")

### WEIGHT:

2.16 kg (4.57 lbs.)

- Business card holder
- Automatic purge valve



## 1506 AIR LONG/DEEP



### INTERNAL DIMS:

47.5 x 23.9 x 19.8 cm  
(18.70 x 9.40 x 7.80")

### EXTERNAL DIMS:

51.1 x 30.5 x 21.7 cm  
(20.12 x 12.02 x 8.56")

### WEIGHT:

2.4 kg (5.35 lbs.)

- Business card holder
- Automatic purge valve
- Press and Pull latches



NEW

## 1507 AIR

+45%

### INTERNAL DIMS:

38.5 x 28.9 x 21.6 cm  
(15.15 x 11.38 x 8.52")

### EXTERNAL DIMS:

42.8 x 35.8 x 23.5 cm  
(16.87 x 14.10 x 9.27")

### WEIGHT:

2.4 kg (5.24 lbs.)

- Business card holder
- Automatic purge valve



# PELI™ AIR 1465EMS: LIGHTWEIGHT EMS CASE

When every second counts, you can depend on the Pelican™ Air 1465EMS case to keep you moving through harsh terrain. The three tier customisable pullout trays give you the flexibility to organise medical gear to any configuration.

All trays slide forward (for full view) and back to original position







Photo by Pol Tarrés

## 1525 AIR

**INTERNAL DIMS:**  
52.07 x 28.70 x 17.15 cm  
(20.50 x 11.31 x 6.75")

**EXTERNAL DIMS:**  
55.78 x 35.48 x 19.02 cm  
(21.96 x 13.97 x 7.49")

**WEIGHT:**  
2.72 kg (5.99 lbs)



- Business card holder
- Automatic purge valve



## 1535 AIR WHEELED CARRY-ON\*



**INTERNAL DIMS:**  
51.79 x 28.45 x 18.29 cm  
(20.39 x 11.20 x 7.21")

**EXTERNAL DIMS:**  
55.78 x 35.50 x 22.81 cm  
(21.96 x 13.97 x 8.98")

**WEIGHT:**  
3.95 kg (8.69 lbs)



- Maximum airline carry-on size\*
- Quiet rolling stainless-steel bearing wheels
- Extending trolley handle
- Business card holder
- Automatic purge valve



## 1535TPF AIR HYBRID



**INTERNAL DIMS:**  
51.8 x 28.4 x 18.3 cm  
(20.39 x 11.20 x 7.21")

**EXTERNAL DIMS:**  
55.8 x 35.5 x 22.8 cm  
(21.96 x 13.97 x 8.98")

**WEIGHT:**  
5.40 kg (11.91 lbs)



- Maximum airline carry-on size\*
- Extending trolley handle
- Business card holder
- Automatic purge valve
- Quiet rolling stainless-steel bearing wheels



NEW

\* Check with your airline for exact measurement requirements.



+45%

## 45% DEEPER, 40% LIGHTER

We've complimented our Peli™ Air cases range with four deep case designs that are 45% deeper. With over 33 cm of depth, these Peli™ Air cases have room for your deeper shaped equipment, like drones and cinema-grade cameras.





## 1555 AIR

### INTERNAL DIMS:

58.42 x 32.39 x 19.05 cm  
(23.00 x 12.75 x 7.50")

### EXTERNAL DIMS:

62.89 x 39.27 x 20.93 cm  
(24.76 x 15.46 x 8.24")

### WEIGHT:

3.35 kg (7.37 lbs)



- Business card holder
- Automatic purge valve



## 1556 AIR LONG/DEEP



### INTERNAL DIMS:

54.9 x 27.3 x 22.8 cm  
(21.63 x 10.76 x 8.97")

### EXTERNAL DIMS:

59.5 x 34.3 x 26.8 cm  
(23.43 x 13.52 x 10.57")

### WEIGHT:

4.4 kg (9.75 lbs)



- Business card holder
- Automatic purge valve
- Press and Pull latches



NEW

## 1557 AIR



### INTERNAL DIMS:

44.0 x 33.0 x 24.8 cm  
(17.33 x 13.00 x 9.75")

### EXTERNAL DIMS:

48.7 x 40.1 x 26.7 cm  
(19.18 x 15.79 x 10.50")

### WEIGHT:

3.0 kg (6.60 lbs)



- Business card holder
- Automatic purge valve



## 1605 AIR

### INTERNAL DIMS:

66.04 x 35.56 x 21.29 cm  
(26.00 x 14.00 x 8.38")

### EXTERNAL DIMS:

73.33 x 42.60 x 23.16 cm  
(28.87 x 16.77 x 9.12")

### WEIGHT:

4.22 kg (9.28 lbs)



- Business card holder
- Automatic purge valve







## 1606 AIR LONG/DEEP



### INTERNAL DIMS:

62.3 x 31.2 x 26 cm  
(24.54 x 12.30 x 10.22")

### EXTERNAL DIMS:

69.6 x 38.4 x 30 cm  
(27.42 x 15.13 x 11.83")

### WEIGHT:

5.6 kg (12.45 lbs)

- Business card holder
- Automatic purge valve
- Press and Pull latches



## 1607 AIR



### INTERNAL DIMS:

53.5 x 40.2 x 29.5 cm  
(21.05 x 15.81 x 11.63")

### EXTERNAL DIMS:

61.3 x 47.8 x 33.7 cm  
(24.13 x 18.80 x 13.25")

### WEIGHT:

6.0 kg (13.20 lbs)

- Business card holder
- Automatic purge valve



## 1615 AIR WHEELED CHECK-IN\*



### INTERNAL DIMS:

75.16 x 39.37 x 23.83 cm  
(29.59 x 15.50 x 9.38")

### EXTERNAL DIMS:

82.80 x 46.74 x 27.99 cm  
(32.58 x 18.40 x 11.02")

### WEIGHT:

6.39 kg (14.06 lbs)

- Maximum airline check-in size\*
- Quiet rolling stainless-steel bearing wheels
- Extending trolley handle
- Business card holder
- Automatic purge valve



## 1626 AIR LONG/DEEP



### INTERNAL DIMS:

71.5 x 35.8 x 29.8 cm  
(28.14 x 14.10 x 11.72")

### EXTERNAL DIMS:

79 x 43.3 x 33.9 cm  
(31.12 x 17.05 x 13.33")

### WEIGHT:

6.6 kg (14.65 lbs)

- Business card holder
- Automatic purge valve
- Press and Pull latches



\* Check with your airline for exact measurement requirements.



## 1637 AIR



### INTERNAL DIMS:

59.5 x 44.6 x 33.7 cm  
(23.43 x 17.55 x 13.25")

### EXTERNAL DIMS:

67.6 x 52.5 x 37.8 cm  
(26.61 x 20.65 x 14.87")

### WEIGHT:

6.9 kg (15.20 lbs)



- Business card holder
- Automatic purge valve



## 1745 AIR



### INTERNAL DIMS:

111.8 x 42.6 x 20.3 cm  
(44.00 x 16.77 x 8.00")

### EXTERNAL DIMS:

118.6 x 49.2 x 22.2 cm  
(46.69 x 19.36 x 8.73")

### WEIGHT:

7.8 kg (17.26 lbs)



- Press and Pull latches
- Automatic purge valve
- Business card holder



PELI AIR CASES



## THE FIRST PELI™ AIR LONG CASE.

We've stretched out our line of Peli™ Air cases, so now you can protect your long equipment inside the world's toughest and lightest case. 111,8 cm long with built in wheels, the Peli™ Air 1745 case keeps you rolling and provides the perfect leg room to protect survey equipment, tripods and other lengthy equipment.

Its tough Press and Pull™ latches will keep the lid shut through rough handling but are easy to open on arrival.





# PELI™ AIR CASE SPECIFICATIONS

CAT. NO.	INTERIOR DIMENSIONS	EXTERIOR DIMENSIONS	LID DEPTH	BOTTOM DEPTH	WEIGHT	BUOYANCY	COLOURS
1465 AIR	47.3 x 25.4 x 27.8 cm	52.9 x 32.1 x 32.4 cm	12.5 cm	15.2 cm	3.2 kg	37.2 kg	■
1465EMS AIR	47.3 x 25.4 x 27.8 cm	52.9 x 32.1 x 32.4 cm	12.5 cm	15.2 cm	6 kg	37.2 kg	■
1485 AIR	45.09 x 25.86 x 15.62 cm	48.69 x 32.51 x 17.50 cm	4.6 cm	11 cm	2.16 kg	18.6 kg	■ ■ ■ ■
1506 AIR	47.5 x 23.9 x 19.8 cm	51.1 x 30.5 x 21.7 cm	5.1 cm	14.7 cm	2.4 kg	23.4 kg	■
1507 AIR	38.5 x 28.9 x 21.6 cm	42.8 x 35.8 x 23.5 cm	5.2 cm	16.5 cm	2.4 kg	24.5 kg	■ ■ ■ ■
1525 AIR	52.07 x 28.70 x 17.15 cm	55.78 x 35.48 x 19.02 cm	5.1 cm	12.1 cm	2.72 kg	26.3 kg	■ ■ ■ ■
1535 AIR	51.79 x 28.45 x 18.29 cm	55.78 x 35.50 x 22.81 cm	5.1 cm	13.2 cm	3.95 kg	29.4 kg	■ ■ ■ ■
1535 HYBRID	51.8 x 28.4 x 18.3 cm	55.8 x 35.5 x 22.8 cm	5.1 cm	13.2 cm	5.40 kg	29.4 kg	■
1555 AIR	58.42 x 32.39 x 19.05 cm	62.89 x 39.27 x 20.93 cm	5.1 cm	14 cm	3.35 kg	36.8 kg	■ ■ ■ ■
1556 AIR	54.9 x 27.3 x 22.8 cm	59.5 x 34.3 x 26.8 cm	5.1 cm	17.7 cm	4.4 kg	38.5 kg	■
1557 AIR	44.0 x 33.0 x 24.8 cm	48.7 x 40.1 x 26.7 cm	5.1 cm	19.6 cm	3.0 kg	36.3 kg	■ ■ ■ ■
1605 AIR	66.04 x 35.56 x 21.29 cm	73.33 x 42.60 x 23.16 cm	5.1 cm	16.2 cm	4.22 kg	51.2 kg	■ ■ ■ ■
1606 AIR	62.3 x 31.2 x 26 cm	69.6 x 38.4 x 30 cm	5.1 cm	20.9 cm	5.6 kg	56.1 kg	■
1607 AIR	53.5 x 40.2 x 29.5 cm	61.3 x 47.8 x 33.7 cm	5.1 cm	24.4 cm	6.0 kg	80.7 kg	■ ■ ■ ■
1615 AIR	75.16 x 39.37 x 23.83 cm	82.80 x 46.74 x 27.99 cm	5.1 cm	18.7 cm	6.39 kg	76.7 kg	■ ■ ■ ■
1626 AIR	71.5 x 35.8 x 29.8 cm	79 x 43.3 x 33.9 cm	5.1 cm	24.7 cm	6.6 kg	84.1 kg	■
1637 AIR	59.5 x 44.6 x 33.7 cm	67.6 x 52.5 x 37.8 cm	5.1 cm	28.4 cm	6.9 kg	94.8 kg	■ ■ ■ ■
1745 AIR	111.8 x 42.6 x 20.3 cm	118.6 x 49.2 x 22.2 cm	6.4 cm	13.8 cm	7.8 kg	98.4 kg	■

The following certificates apply to all Peli™ Air Cases: IP67, DEF STAN 81-41



## AVAILABLE STANDARD CONFIGURATIONS



CAT. NO.	NO FOAM	PICK N PLUCK FOAM	PADDED DIVIDERS	TREKPAK™ DIVIDERS	HYBRID PROTECTION
<b>1465 AIR</b>	Yes (Black Only)	Yes (Black Only)	No	No	No
<b>1465EMS AIR</b>	No	No	No	No	No
<b>1485 AIR</b>	Yes (All Colours)	Yes (All Colours)	Yes (Black Only)	Yes (Black Only)	No
<b>1506 AIR</b>	Yes (Black Only)	No	No	No	No
<b>1507 AIR</b>	Yes (All Colours)	Yes (Black Only)	Yes (Black Only)	Yes (Black Only)	No
<b>1525 AIR</b>	Yes (All Colours)	Yes (All Colours)	Yes (Black Only)	Yes (Black Only)	No
<b>1535 AIR</b>	Yes (All Colours)	Yes (All Colours)	Yes (Black Only)	Yes (Black Only)	No
<b>1535 HYBRID</b>	No	No	No	No	Yes (Black Only)
<b>1555 AIR</b>	Yes (All Colours)	Yes (All Colours)	Yes (Black Only)	Yes (Black Only)	No
<b>1556 AIR</b>	Yes (Black Only)	No	No	No	No
<b>1557 AIR</b>	Yes (All Colours)	Yes (Black Only)	Yes (Black Only)	Yes (Black Only)	No
<b>1605 AIR</b>	Yes (All Colours)	Yes (All Colours)	Yes (Black Only)	Yes (Black Only)	No
<b>1606 AIR</b>	Yes (Black Only)	No	No	No	No
<b>1607 AIR</b>	Yes (All Colours)	Yes (Black Only)	Yes (Black Only)	No	No
<b>1615 AIR</b>	Yes (All Colours)	Yes (Black Only)	Yes (Black Only)	Yes (Black Only)	No
<b>1626 AIR</b>	Yes (Black Only)	No	No	No	No
<b>1637 AIR</b>	Yes (All Colours)	Yes (Black Only)	Yes (Black Only)	No	No
<b>1745 AIR</b>	Yes (Black Only)	Yes (Black Only)	No	No	No

PELI AIR AVAILABLE STANDARD CONFIGURATIONS





# PELI™ AIR PROTECTION SOLUTIONS

Peli™ Air Cases are available empty or with any of the following protection solutions.


## + PREMIUM PROTECTION: PELI+TREKPAK™

The TrekPak™ system uses pre-installed wall sections, divider panels, locking pins and an infallible cutting tool. Just lay your gear in the case, measure and cut the divider sections and lock them in place with the steel U-pins. Learn more at [peli.com/trekpak](http://peli.com/trekpak)



## + EFFORTLESS PROTECTION: EASY PICK N PLUCK™

Peli™ Air cases have been designed to protect equipment of all kinds, no matter the size or shape. Most Peli protector cases come with our Pick N Pluck™ shock-absorbent foam, pre-scored in tiny cubes. The item is placed on the foam, outlined with chalk, and then the cubes around the item are removed to form a secure, protective cocoon.



## + HYBRID PROTECTION: PICK N PLUCK™+TREKPAK™

No longer choose between the versatility of the TrekPak™ divider system or the protection of the manually customisable Pick N Pluck™ foam. Peli™ Air Hybrid protection features both.

Only available for the Peli™ Air 1535 case.



## + PADDED DIVIDER SYSTEM

- Full Sewn Tub with Felt Exterior
- Velcro™ Compatible Nyllex™ Interior
- Elastic Hold Down Straps
- Hi-Visibility Yellow Interior
- Set Includes: 1 Tub, 2 Large Dividers, 6 Medium Dividers, 3 Small Dividers






# LIGHTWEIGHT PROTECTION FOR EVERYONE



## + ONE SIZE DOESN'T FIT ALL

Peli understands that finding the right protection, with the perfect fit for your gear, is a priority. Peli™ Air began with long protection and quickly grew to offer you deep protection. The time has come to combine those two in order to create Peli's new Long/Deep Series (cases 1506, 1556, 1606 and 1626).

Peli™ Air cases offer both long, deep, and long/deep variations you won't find in our Peli™ Protector Case™ line.



PELI AIR LIGHTWEIGHT PROTECTION FOR EVERYONE



## + ULTIMATE PRO TRAVEL CASES

Besides, being the lightest premium protector case on the market, Peli Air is especially preferred by professionals who wish to travel lightweight. Therefore, Peli Air is the ideal case to transport tools, audio visual equipment, sporting goods, sales samples... and many more!

The larger sized cases include wheels and handle for ease of transport.

### 1535 AIR – WHEELED CARRY-ON

Weighing just 3,9 kg with exterior dimensions of 55.78 x 30.40 x 22.81 cm. Model 1535 is optimised for carry-on/overhead bin size.

### 1615 AIR – WHEELED CHECK-IN

Weighing just 6,3 kg with exterior dimensions of 82.80 x 46.74 x 27.99 cm. Model 1615 is the maximum airline dimensions\* for checked luggage without oversize charges.

\*Check with your airline for exact measurement requirements



## + PREMIUM PROTECTION FOR PRO CAMERAS

Having the right camera and being passionate about what you do is key to be a successful photographer. However, having the right protection for your valuable gear will help you focus on the job without worries.

The right camera case will allow you to travel safe, no matter where! Your equipment will be safe from weather conditions and rough handling.

Peli Air cases offer lightweight impact protection for all kind of cameras and with enough additional space for lenses, cables, optics and other accessories. Up to 40% lighter than other polymer protector cases, Peli Air is the preferred companion of those outdoor or travel photographers who need to travel lightweight, but still need the best of protection for their valuable DSLR cameras.

Complement your Peli Air case with Peli's extremely handy memory card cases or micro cases to store the smaller accessories. Learn more at Peli.com.



LEARN MORE

[www.peli.com/air-cameras](http://www.peli.com/air-cameras)



PELI AIR LIGHTWEIGHT PROTECTION FOR EVERYONE



Photo by Uros Podlogar





Photo by Rory D.

PELI AIR LIGHTWEIGHT PROTECTION FOR EVERYONE

## + DEEP SIZED CASES FOR ULTIMATE DRONE FIT

Peli Air cases will allow you to travel comfortably, while still offering the best protection for your drone. Portability and compact-size have become important criteria when choosing a drone and thus the need of having a high impact resistant and efficient carrying case has become imperative.

With over 33 cm of depth, the deeper sized models will allow you to easily fit in your larger drone or quadcopter with all its accessories, like blades, props, cables, goggles, chargers and more.



LEARN MORE  
[www.peli.com/drone-cases](http://www.peli.com/drone-cases)



## + BEST FIT

Whatever drone, there is a Peli Air case for you!  
For instance:

DRONE MODEL	BEST FIT
DJ Mavic Pro / 2	1485 air case
Parrot Anafi	1485 air case
Yuneec Mantis	1485 air case
Autel EVO	1485 air case
DJI PHANTOM 4 (advanced, v2)	1607 air case



# LEARN MORE ABOUT + OUR PRODUCTS



[www.peli.com](http://www.peli.com)



AVAILABLE IN 18 LANGUAGES!

[www.pelicalogue.com](http://www.pelicalogue.com)



[www.peli.com/webinars](http://www.peli.com/webinars)



## EMEA

### EUROPE, MIDDLE EAST & AFRICA HEADQUARTERS

PELI PRODUCTS, S.L.U.  
C/ Provença, 388 Planta 7  
08025 • Barcelona, Spain  
Tel +34 934 674 999  
Fax +34 934 877 393  
[www.peli.com](http://www.peli.com)

### FRANCE

PELI PRODUCTS FRANCE  
S.A.S.  
20/22 Rue des Petits Hôtels  
75010 Paris, France  
Tel +33 (0)1 44 83 95 63  
Fax +33 (0)1 44 83 95 68  
[www.peli.com](http://www.peli.com)

### UK

PELI HARDIGG UK  
Unit 4, Brookfield Industrial Estate  
Leacon Road  
Ashford Kent TN23 4TU  
Tel + 44 (0) 1233 895 895  
Fax +44 (0) 1233 895 899  
[www.peli.com](http://www.peli.com)

## U.S.A.

### U.S.A. & GLOBAL HEADQUARTERS

23215 Early Avenue  
Torrance, CA 90505 USA  
Tel 310.326.4700  
800.473.5422 (Outside CA)  
Fax 310.326.3311  
[www.pelican.com](http://www.pelican.com)

### GERMANY

PELI PRODUCTS GERMANY GmbH  
Düsseldorf Kö-Bogen  
Business Center  
Königsallee 2b, 5th Floor  
40212 Düsseldorf, Germany  
Tel +49 (0) 211 882 42 401  
Fax +49 (0) 211 882 42 200  
[www.peli.com](http://www.peli.com)

### UAE

PELICAN PRODUCTS FZE  
JAFZA One Building A office 1511/1512  
Jebel Ali Free Zone gate 5  
P.O.Box 261008  
Dubai – United Arab Emirates  
Tel +971 4 8876550  
Fax +971 4 8876549  
[www.pelican.com](http://www.pelican.com)  
[www.peli.com](http://www.peli.com)

### TURKEY

PELI PRODUCTS ANKARA  
BRANCH OFFICE  
Beştepe Mahallesi,  
Nergis Sokak No:7/2  
Via Flat İş Merkezi,  
Plaza Cubes No:87  
Tel +90 312 248 13 86  
[www.peli.com](http://www.peli.com)

### PELICAN HARDIGG

147 North Main Street  
South Deerfield, MA 01373  
Tel (800) 542 73 44  
Fax (413) 665 8330  
[www.pelican.com](http://www.pelican.com)

\* We also have offices in Canada, Japan, China, Australia, South Korea and India

### INJECTION MOULDED CASES - PELI LIMITED LIFETIME\* GUARANTEE

Peli Products, S.L.U. ("Peli") guarantees its injection moulded products for a lifetime\* against breakage or defects in workmanship. Peli™ injection molded cases are guaranteed to be watertight to a depth of 3.3 feet (1 meter) for 30 minutes (IP 67) if properly closed with undamaged o-ring in place unless otherwise stated. To the extent permitted by law, Peli's liability is limited to the case and not its contents or foam. All warranty claims of any nature are barred if the case has been altered, damaged or in any way physically changed, or subjected to abuse, misuse, negligence or accident.

For complete warranty details, see [www.peli.com/WARRANTY](http://www.peli.com/WARRANTY)

\* Lifetime Guarantee not applicable where prohibited by law.

### Distributed by:

Follow us on:



©2020 Peli Products, S.L.U. All trademarks are registered and/or unregistered trademarks of Pelican Products, Inc., its subsidiaries and/or affiliates. All details included in this catalogue are correct when printed but for most updated information please visit [www.peli.com](http://www.peli.com) and [www.pelicalogue.com](http://www.pelicalogue.com).  
Part No. 0050-100-000E JAN 20

Peli conquers space! Check out  
the video of this stellar journey:

