

PELI™ AIR CASES



SINCE 1976



LIFETIME GUARANTEE*

Register for our newsletter!





TABLE + OF CONTENTS

PELI AIR CASE FEATURES 3

PELI AIR CASES 4-9

CASES SPECIFICATIONS 10

AVAILABLE STANDARD CONFIGURATIONS 11

PROTECTION SOLUTIONS 12

LIGHTWEIGHT PROTECTION FOR EVERYONE 13-15





PELI AIR CASE FEATURES

+ THE SCIENCE BEHIND STRENGTH AND LIGHTNESS

The $Peli^{TM}$ Air case has been designed to cut weight without compromising durability.

Our engineers have revolutionised the protector case by reducing structural waste while preserving Peli's legendary standards of strength. In development for years, the design team challenged the status quo to "add lightness" in every detail.

Here are some important reasons why $Peli^{TM}$ Air cases are both strong and light:

- Moulded from the next generation of Peli's lightweight HPX[™] resin, a proprietary formula that rebounds without breaking
- Honeycomb structural elements that are actually stronger than solid polymer material
- Super-stiff "full box" sections engineered to create hollow parts

+ EXTREME ENGINEERING— UP TO 40% LIGHTER

Peli™ Air	Weight NF (kg)	Peli Equivalent	Weight NF (kg)	% var.
1485	2.1	1500	2.9	-26%
1525	2.7	1520	3.8	-28%
1535	3.9	1510	5.4	-28%
1555	3.3	1550	4.8	-35%
1605	4.2	1600	5.9	-33%
1615	6.4	1670	10.4	-40%

^{*} Case weights are actual and percentage variance is adjusted for interior volume.

+ UP TO THE TEST

It wouldn't be a $Peli^{TM}$ case if you couldn't drop it, kick it and run over it – and the $Peli^{TM}$ Air case is no different.

- Drop-tested on concrete with loads from 1 m on all sides and corners
- Submerged for 30 minutes at a depth of one meter
- Wheels are roll tested over 1 km with loads at 8 km/h
- 12,7 kg steel dart dropped on all sides from 1 m

+ SHARED FEATURES ACROSS ALL MODELS

- A Watertight O-Ring Gasket
- B New Style "Conic Curve" Lid Shape
- C Super-light Proprietary HPX2 Polymer
- D Stainless Steel Hasp Protectors
- E Proven tough Press and Pull™ latches will keep the lid shut through rough handling but are easy to open on arrival
- F Automatic Purge Valve Balances Air Pressure
- G New Removable Polycarbonate Card Holder, with Front or Side Placement
- H Rubber Overmoulded Handles
- Crushproof and Dustproof









PELMAIR

Rugged, uncompromising and trusted, Peli cases protect what matters to you, from the everyday to the extraordinary.

Up to 40% lighter than other polymer cases, Peli™ Air cases lighten the load for those who travel for work or leisure without sacrificing Peli's legendary standards of strength.

Engineered and manufactured in the U.S.

Guaranteed for Life.

*Check the specs for the exact weight of each model

Real photo of Peli Air case reaching 32,118m and -50° C in outer space. See full video:





45% DEEPER

With over 33 cm of depth, these cases have room for your deeper shaped equipment.



WHEELED CASES

- Quiet rolling stainless-steel bearing wheels
- Extending trolley handle (not available on 1745 case)



PRESS & PULL LATCHES

The Press & Pull latch is a unique latch that locks automatically, but opens with a light touch.

INTERNAL DIMS: 47.3 x 25.4 x 27.8 cm (18.62 x 9.99 x 10.93") **EXTERNAL DIMS:**

52.9 x 32.1 x 32.4 cm (20.83 x 12.62 x 12.75")

WEIGHT (EMPTY): 3.2 kg (7.12 lbs.)

- Press and Pull latches
- Automatic purge valve
- Business card holder





1465EMS AIR



INTERNAL DIMS: 47.3 x 25.4 x 27.8 cm (18.62 x 9.99 x 10.93")

EXTERNAL DIMS: 52.9 x 32.1 x 32.4 cm (20.83 x 12.62 x 12.75")

WEIGHT (EMPTY): 6 kg (13.30 lbs.)

- Removable trays
- Press and Pull latches
- Automatic purge valve
- Business card holder



1485 AIR



INTERNAL DIMS: 45.1 x 25.9 x 15.6 cm (17.75 x 10.18 x 6.15")

EXTERNAL DIMS: 48.7 x 32.5 x 17.5 cm (19.17 x 12.80 x 6.89")

WEIGHT (EMPTY): 2.1 kg (4.57 lbs.)



- Business card holder
- Automatic purge valve
- Press and Pull latches



1506 AIR LONG/DEEP



INTERNAL DIMS: 47.5 x 23.9 x 19.8 cm (18.70 x 9.40 x 7.80")

EXTERNAL DIMS: 51.1 x 30.5 x 21.7 cm (20.12 x 12.02 x 8.56")

WEIGHT (EMPTY): 2.4 kg (5.35 lbs)



- Business card holder
- Automatic purge valve
- Press and Pull latches



1507 AIR





INTERNAL DIMS: 38.5 x 28.9 x 21.6 cm (15.15 x 11.38 x 8.52")

EXTERNAL DIMS: 42.8 x 35.8 x 23.5 cm (16.87 x 14.10 x 9.27")

WEIGHT (EMPTY): 2.4 kg (5.24 lbs)




- Business card holder
- Automatic purge valve • Press and Pull latches



PELI™ AIR 1465EMS: LIGHTWEIGHT EMS CASE

When every second counts, you can depend on the Peli™ Air 1465EMS case to keep you moving through harsh terrain. The three tier customisable pullout trays give you the flexibility to organise medical gear to any configuration.







INTERNAL DIMS: 52.1 x 28.7 x 17.1 cm (20.50 x 11.31 x 6.75")

EXTERNAL DIMS: 55.8 x 35.5 x 19 cm (21.96 x 13.97 x 7.49")

WEIGHT (EMPTY): 2.7 kg (5.99 lbs)



- Business card holder
- Automatic purge valve
- Press and Pull latches



1535 AIR WHEELED CARRY-ON*





INTERNAL DIMS: 51.8 x 28.4 x 18.3 cm (20.39 x 11.20 x 7.21")

EXTERNAL DIMS: 55.8 x 35.5 x 22.8 cm (21.96 x 13.97 x 8.98")

WEIGHT (EMPTY):





- Extending trolley handle
- Business card holder
- Automatic purge valve
- Quiet rolling stainless-steel bearing wheels
- Press and Pull latches

1535TRVL AIR WHEELED CARRY-ON*







51.8 x 28.4 x 18.3 cm (20.39 x 11.20 x 7.21")

EXTERNAL DIMS:

55.8 x 35.5 x 22.8 cm (21.96 x 13.97 x 8.98")

WEIGHT (WITH ORGANIZERS): 5.5 kg (12.10 lbs)





- Maximum airline carry-on size*
- Extending trolley handle
- · Business card holder
- Automatic purge valve
- Quiet rolling stainless-steel bearing wheels
- Press and Pull latches

* Check with your airline for exact measurement requirements.



45% DEEPER, **40% LIGHTER**

Peli™ Air cases range includes four deep case designs that are 45% deeper. With over 33 cm of depth, these $Peli^{TM}$ Air cases have room for your deeper shaped equipment, like drones and cinemagrade cameras. See models 1507, 1557, 1607 and 1637







1535TPF AIR HYBRID



INTERNAL DIMS: $51.8 \times 28.4 \times 18.3 \text{ cm}$ (20.39 x 11.20 x 7.21")

EXTERNAL DIMS: 55.8 x 35.5 x 22.8 cm (21.96 x 13.97 x 8.98")

WEIGHT (EMPTY): 5.40 kg (11.91 lbs)



- Maximum airline carry-on size*
- Extending trolley handle
- Business card holder
- Automatic purge valve
- Quiet rolling stainless-steel bearing wheels
- Double-throw latches

1555 AIR



INTERNAL DIMS: 58.4 x 32.4 x 19.1 cm (23.00 x 12.75 x 7.50")

EXTERNAL DIMS: 62,9 x 39,3 x 20,9 cm (24.76 x 15.46 x 8.24")

WEIGHT (EMPTY): 3.3 kg (7.37 lbs)




- Business card holder
- Automatic purge valve
- Press and Pull latches



1556 AIR LONG/DEEP







WEIGHT (EMPTY): 4.4 kg (9.75 lbs)



- Business card holder
- Automatic purge valve
- Press and Pull latches



1557 AIR



(17.33 x 13.00 x 9.75") **EXTERNAL DIMS:** 48.7 x 40.1 x 26.7 cm (19.18 x 15.79 x 10.50")

WEIGHT (EMPTY): 3.0 kg (6.60 lbs)



- Business card holder
- Automatic purge valve
- Press and Pull latches







INTERNAL DIMS: 66 x 35.6 x 21.3 cm (26.00 x 14.00 x 8.38")

EXTERNAL DIMS:

73.3 x 42.6 x 23.2 cm (28.87 x 16.77 x 9.12")

WEIGHT (EMPTY): 4.2 kg (9.28 lbs)

- Business card holder
- Automatic purge valve
- Press and Pull latches



1606 AIR LONG/DEEP





INTERNAL DIMS: 62.3 x 31.2 x 26 cm (24.54 x 12.30 x 10.22")

EXTERNAL DIMS: 69.6 x 38.4 x 30 cm (27.42 x 15.13 x 11.83")


WEIGHT (EMPTY): 5.6 kg (12.45 lbs)



- Business card holder
- Automatic purge valve
- Press and Pull latches



1607 AIR



EXTERNAL DIMS: 61.3 x 47.8 x 33.7 cm (24.13 x 18.80 x 13.25")

WEIGHT (EMPTY): 6.0 kg (13.20 lbs)



- Business card holder
- Automatic purge valve
- Press and Pull latches



1615 AIR WHEELED CHECK-IN*





INTERNAL DIMS: 75,2 x 39,4 x 23,8 cm

(29.59 x 15.50 x 9.38") **EXTERNAL DIMS:**

82.8 x 46.7 x 28 cm (32.58 x 18.40 x 11.02")

WEIGHT (EMPTY): 6.4 kg (14.06 lbs)





- Maximum airline check-in size*
- Extending trolley handle
- Business card holder
- Automatic purge valve
- Quiet rolling stainless-steel bearing wheels
- Press and Pull latches

1615TRVL AIR WHEELED CHECK-IN*





INTERNAL DIMS: 75.2 x 39.4 x 23.8 cm

(29.59 x 15.50 x 9.38")

EXTERNAL DIMS: 82.8 x 46.7 x 28 cm (32.58 x 18.40 x 11.02")

WEIGHT (WITH ORGANIZERS): 8.6 kg (19.00 lbs)



- Maximum airline check-in size*
- Extending trolley handle
- Business card holder
- Automatic purge valve
- Quiet rolling stainless-steel bearing wheels
- Press and Pull latches

1626 AIR LONG/DEEP





INTERNAL DIMS: 71.5 x 35.8 x 29.8 cm (28.14 x 14.10 x 11.72")

EXTERNAL DIMS: 79 x 43.3 x 33.9 cm (31.12 x 17.05 x 13.33")


WEIGHT (EMPTY): 6.6 kg (14.65 lbs)



- Business card holder
- Automatic purge valve
- Press and Pull latches








1637 AIR









EXTERNAL DIMS: 67.6 x 52.5 x 37.8 cm (26.61 x 20.65 x 14.87")

WEIGHT (EMPTY): 6.9 kg (15.20 lbs)



- Business card holder
- Automatic purge valve
- Press and Pull latches



1646 AIR





INTERNAL DIMS: 81.4 x 40.3 x 34.1 cm (32.06" x 15.87" x 13.42")

EXTERNAL DIMS: 89.6 x 48.3 x 38.3 cm (35.29" x 19.00" x 15.08")

WEIGHT (EMPTY): 9.3 kg (20.50 lbs)



- Press and Pull latches
- Automatic purge valve
- Business card holder



1745 AIR





INTERNAL DIMS: 111.8 x 42.6 x 20.3 cm (44.00 x 16.77 x 8.00")

EXTERNAL DIMS: 118.6 x 49.2 x 22.2 cm (46.69 x 19.36 x 8.73")

WEIGHT (EMPTY): 7.8 kg (17.26 lbs)



- Press and Pull latches
- Automatic purge valve
- Business card holder





PELI™ AIR LONG CASE FOR LENGTHY EQUIPMENT

We've stretched out our line of Peli™ Air cases, so now you can protect your long equipment inside the world's toughest and lightest case. 111,8 cm long with built in wheels, the Peli™ Air 1745 case keeps you rolling and provides the perfect leg room to protect survey equipment, tripods and other lengthy equipment.

PELI™ AIR CASE SPECIFICATIONS

CAT. NO.	INTERIOR DIMENSIONS	EXTERIOR DIMENSIONS	LID DEPTH	BOTTOM DEPTH	WEIGHT (EMPTY)	BUOYANCY	COLOURS
1465 AIR	47.3 x 25.4 x 27.8 cm	52.9 x 32.1 x 32.4 cm	12.5 cm	15.2 cm	3.2 kg	37.2 kg	
1465EMS AIR	47.3 x 25.4 x 27.8 cm	52.9 x 32.1 x 32.4 cm	12.5 cm	15.2 cm	6 kg	37.2 kg	
1485 AIR	45.1 x 25.9 x 15.6 cm	48.7 x 32.5 x 17.5 cm	4.6 cm	11 cm	2.1 kg	18.6 kg	
1506 AIR	47.5 x 23.9 x 19.8 cm	51.1 x 30.5 x 21.7 cm	5.1 cm	14.7 cm	2.4 kg	23.4 kg	
1507 AIR	38.5 x 28.9 x 21.6 cm	42.8 x 35.8 x 23.5 cm	5.2 cm	16.5 cm	2.4 kg	24.5 kg	
1525 AIR	52.1 x 28.7 x 17.1 cm	55.8 x 35.5 x 19 cm	5.1 cm	12.1 cm	2.7 kg	26.3 kg	
1535 AIR	51.8 x 28.4 x 18.3 cm	55.8 x 35.5 x 22.8 cm	5.1 cm	13.2 cm	3.9 kg	29.4 kg	
1535 TRVL	51.8 x 28.4 x 18.3 cm	55.8 x 35.5 x 22.8 cm	5.1 cm	13.2 cm	5.5 kg (with organisers)	29.4 kg	
1535 HYBRID	51.8 x 28.4 x 18.3 cm	55.8 x 35.5 x 22.8 cm	5.1 cm	13.2 cm	5.40 kg	29.4 kg	
1555 AIR	58.4 x 32.4 x 19.1 cm	62.9 x 39.3 x 20.9 cm	5.1 cm	14 cm	3.3 kg	36.8 kg	
1556 AIR	54.9 x 27.3 x 22.8 cm	59.5 x 34.3 x 26.8 cm	5.1 cm	17.7 cm	4.4 kg	38.5 kg	
1557 AIR	44.0 x 33.0 x 24.8 cm	48.7 x 40.1 x 26.7 cm	5.1 cm	19.6 cm	3.0 kg	36.3 kg	
1605 AIR	66 x 35.6 x 21.3 cm	73.3 x 42.6 x 23.2 cm	5.1 cm	16.2 cm	4.2 kg	51.2 kg	
1606 AIR	62.3 x 31.2 x 26 cm	69.6 x 38.4 x 30 cm	5.1 cm	20.9 cm	5.6 kg	56.1 kg	
1607 AIR	53.5 x 40.2 x 29.5 cm	61.3 x 47.8 x 33.7 cm	5.1 cm	24.4 cm	6.0 kg	80.7 kg	
1615 AIR	75.2 x 39.4 x 23.8 cm	82.8 x 46.7 x 28 cm	5.1 cm	18.7 cm	6.4 kg	76.7 kg	
1615 TRVL	75.2 x 39.4 x 23.8 cm	82.8 x 46.7 x 28 cm	5.1 cm	18.7 cm	8.6 kg (with organisers)	76.7 kg	
1626 AIR	71.5 x 35.8 x 29.8 cm	79 x 43.3 x 33.9 cm	5.1 cm	24.7 cm	6.6 kg	84.1 kg	
1637 AIR	59.5 x 44.6 x 33.7 cm	67.6 x 52.5 x 37.8 cm	5.1 cm	28.4 cm	6.9 kg	94.8 kg	
1646 AIR	81.4 x 40.3 x 34.1 cm	89.6 x 48.3 x 38.3 cm	5 cm	29.1 cm	9.3 kg	119.3 kg	
1745 AIR	111.8 x 42.6 x 20.3 cm	118.6 x 49.2 x 22.2 cm	6.4 cm	13.9 cm	7.8 kg	98.4 kg	

The following certificates apply to all Peli $^{\text{TM}}$ Air Cases: IP67, DEF STAN 81-41



AVAILABLE STANDARD CONFIGURATIONS











CAT. NO.	NO FOAM	PICK N PLUCK FOAM	PADDED DIVIDERS	TREKPAK™ DIVIDERS	HYBRID PROTECTION
1465 AIR	Yes (Black Only)	Yes (Black Only)	No	No	No
1465EMS AIR	No	No	No	No	No
1485 AIR	Yes (All Colours)	Yes (All Colours)	Yes (Black Only)	Yes (Black Only)	No
1506 AIR	Yes (Black Only)	No	No	No	No
1507 AIR	Yes (All Colours)	Yes (Black Only)	Yes (Black Only)	Yes (Black Only)	No
1525 AIR	Yes (All Colours)	Yes (All Colours)	Yes (Black Only)	Yes (Black Only)	No
1535 AIR	Yes (All Colours)	Yes (All Colours)	Yes (Black Only)	Yes (Black Only)	No
1535 HYBRID	No	No	No	No	Yes (Black Only)
1555 AIR	Yes (All Colours)	Yes (All Colours)	Yes (Black Only)	Yes (Black Only)	No
1556 AIR	Yes (Black Only)	No	No	No	No
1557 AIR	Yes (All Colours)	Yes (Black Only)	Yes (Black Only)	Yes (Black Only)	No
1605 AIR	Yes (All Colours)	Yes (All Colours)	Yes (Black Only)	Yes (Black Only)	No
1606 AIR	Yes (Black Only)	No	No	No	No
1607 AIR	Yes (All Colours)	Yes (Black Only)	Yes (Black Only)	No	No
1615 AIR	Yes (All Colours)	Yes (Black Only)	Yes (Black Only)	Yes (Black Only)	No
1626 AIR	Yes (Black Only)	No	No	No	No
1637 AIR	Yes (All Colours)	Yes (Black Only)	Yes (Black Only)	No	No
1646 AIR	Yes (Black Only)	Yes (Black Only)	No	No	No
1745 AIR	Yes (Black Only)	Yes (Black Only)	No	No	No



PELI™ AIR PROTECTION SOLUTIONS

Peli[™] Air Cases are available empty or with any of the following protection solutions.

Check how to install all accessories through our easy step-by-step Tutorial videos



+ PREMIUM PROTECTION: PELI+TREKPAK™

The TrekPak™ system uses preinstalled wall sections, divider
panels, locking pins and an infallible
cutting tool. Just lay your gear in the
case, measure and cut the divider
sections and lock them in place with the steel U-pins.
Learn more at peli.com/trekpak



+ EFFORTLESS PROTECTION: EASY PICK N PLUCK™

Peli™ Air cases have been designed to protect equipment of all kinds, no matter the size or shape. Most Peli protector cases come with our Pick N Pluck™ shock-absorbent foam, pre-scored in tiny cubes. The item is placed on the foam, outlined with chalk, and then the cubes around the

item are removed to form a secure, protective cocoon.



+ HYBRID PROTECTION: PICK N PLUCK™+TREKPAK™

No longer choose between the versatility of the TrekPak™ divider system or the protection of the manually customisable Pick N Pluck™ foam. Peli™ Air Hybrid protection features



both. Only available for the Peli $^{\text{\tiny TM}}$ Air 1535 case.

+ PADDED DIVIDER SYSTEM

- Full Sewn Tub with Felt Exterior
- Velcro™
 Compatible
 Nylex™ Interior
- Elastic Hold Down Straps



- High-Visibility Yellow Interior
- Set Includes: 1 Tub, 2 Large Dividers, 6 Medium Dividers, 3 Small Dividers

+ EZ-CLICK™ MOLLE PANEL

The first lid organiser of its kind that can quickly be released and swapped out without tools. Engineered to fit in the 1535 Peli Air case, the panel is compatible with usersupplied MOLLE pouches and $Velcro^{TM}$ brand straps.





PELI™ AIR TRAVEL CASES LIVE YOUR ADVENTURES WITH TOTAL PEACE OF MIND





Travelling with equipment in the field is one of the biggest issues for professionals who are frequently on the road or for those who go outdoors to live their adventures. Now you can travel smarter thanks to Peli™ Air Travel (TRVL) Cases.

Just take your indestructible and lightweight travel companion with you and Bon Voyage!

Lid organisers have zippered compartments for stowing larger items and see-through mesh pockets secure passports and cables. Packing cubes keep gear tightly bundled and allow you to arrange your gear by stacking or grouping side by side. Peli™ Air Travel Cases are also built for versatility. Just remove the packing cubes and replace with optional Trekpak™ dividers, padded dividers or Pick N Pluck™ foam interior solutions (available separately).



FLY PAST ADDED LUGGAGE CHARGES

The Peli™ Air 1535 Travel case is optimised for carryon/overhead bin sizes and the Peli™ Air 1615 Travel case is built to maximum airline dimensions* for checked baggage without oversize charges.

PELI™ AIR 1535 TRAVEL CASE -WHEELED CARRY-ON* Optimized for carry-on/overhead bin size.

 ${}^{*}\text{Check}$ with your airline for exact measurement requirements

LIGHTWEIGHT PROTECTION FOR ANYONE

+ ONE SIZE DOESN'T FIT ALL

Peli understands that finding the right protection, with the perfect fit for your gear, is a priority. Peli™ Air began with long protection and quickly grew to offer you deep protection. The time has come to combine those two in order to create Peli's new Long/Deep Series (cases 1506, 1556, 1606 and 1626).

Peli[™] Air cases offer both long, deep, and long/deep variations you won't find in our Peli[™] Protector Case[™] line.





+ PREMIUM PROTECTION FOR PRO CAMERAS

Having the right camera and being passionate about what you do is key to be a successful photographer. However, having the right protection for your valuable gear will help you focus on the job without worries.

The right camera case will allow you to travel safe, no matter where! Your equipment will be safe from weather conditions and rough handling.

Peli Air cases offer lightweight impact protection for all kind of cameras and with enough additional space for lenses, cables, optics and other accessories. Up to 40% lighter than other polymer protector cases, Peli Air is the preferred companion of those outdoor or travel photographers who need to travel lightweight, but still need the best of protection for their valuable DSLR cameras.

Complement your Peli Air case with Peli's extremely handy memory card cases or micro cases to store the smaller accessories. Learn more at Peli.com.



LEARN MORE
www.peli.com/air-cameras





+ DEEP SIZED CASES FOR **ULTIMATE DRONE FIT**

Peli Air cases will allow you to travel comfortably, while still offering the best protection for your drone.

Portability and compact-size have become important criteria when choosing a drone and thus the need of having a high impact resistant and efficient carrying case has become imperative.

LEARN MORE www.peli.com/drone-cases

With over 33 cm of depth, the deeper sized models will allow you to easily fit in your larger drone or quadcopter with all its accessories, like blades, props, cables, goggles, chargers and more.





+ BEST FIT

Whatever drone, there is a Peli Air case for you! For instance:

DRONE MODEL	BEST FIT
DJ Mavic Pro / 2	1485 air case
Parrot Anafi	1485 air case
Yuneec Mantis	1485 air case
Autel EVO	1485 air case
DJI PHANTOM 4 (advanced, v2)	1607 air case

LEARN MORE ABOUT + OUR PRODUCTS



AVAILABLE IN 18 LANGUAGES!



www.peli.com



www.pelicatalogue.com



www.peli.com/webinars



EMEA

EUROPE, MIDDLE EAST & AFRICA HEADQUARTERS

PELI PRODUCTS, S.L.U. C/ Provença, 388 Planta 7 08025 Barcelona, Spain Tel +34 934 674 999 Fax +34 934 877 393 www.peli.com

FRANCE

PELI PRODUCTS FRANCE 20/22 Rue des Petits Hôtels 75010 Paris, France Tel +33 (0)1 44 83 95 63 Fax +33 (0)1 44 83 95 68 www.peli.com

PELI HARDIGG UK Unit 4, Brookfield Industrial Estate Leacon Road Ashford Kent TN23 4TU Tel + 44 (0) 1233 895 895 Fax +44 (0) 1233 895 899 www.peli.com

U.S.A.

U.S.A. & GLOBAL **HEADQUARTERS**

23215 Early Avenue Torrance, CA 90505 USA Tel 310.326.4700 800.473.5422 (Outside CA) Fax 310.326.3311 www.pelican.com

GFRMANY

PFI T PRODUCTS GERMANY GmbH Düsseldorf Kö-Bogen **Business Center** Königsallee 2b, 5th Floor 40212 Düsseldorf, Germany Tel +49 (0) 211 882 42 401 Fax +49 (0) 211 882 42 200 www.peli.com

UAF

PELICAN PRODUCTS FZE JAFZA One Building A office 1511/1512 Jebel Ali Free Zone gate 5 P.O.Box 261008 Dubai - United Arab Emirates Tel +971 4 8876550 Fax +971 4 8876549 www.pelican.com www.peli.com

TURKEY

PELI PRODUCTS ANKARA BRANCH OFFICE Beştepe Mahallesi, Nergis Sokak No:7/2 Via Flat İş Merkezi, Plaza Cubes No:87 Tel +90 312 248 13 86 www.peli.com

PELTCAN HARDIGG

147 North Main Street South Deerfield, MA 01373 Tel (800) 542 73 44 Fax (413) 665 8330 www.pelican.com

* We also have offices in Canada, Japan, China, Australia, South Korea and India

INJECTION MOULDED CASES - PELI LIMITED LIFETIME* GUARANTEE

Peli Products, S.L.U. ("Peli") guarantees its injection moulded products for a lifetime* against breakage or defects in workmanship. Peli™ injection molded cases a guaranteed to be watertight to a depth of 3.3 feet (1 meter) for 30 minutes (IP 67) if properly closed with undamaged o-ring in place unless otherwise stated. To the extent permitted by law, Peli's liability is limited to the case and not its contents or foam. All warranty claims of any nature are barred if the case has been altered, damaged or in any way physically changed, or subjected to abuse, misuse, negligence or accident.

For complete warranty details, see www.peli.com/guarantee

* Lifetime Guarantee not applicable where prohibited by law.

Distributed by:













©2022 Peli Products, S.L.U. All trademarks are registered and/or unregistered trademarks of Pelican Products, Inc., its subsidiaries and/or affiliates. All details included in this catalogue are correct when printed but for most updated information please visit www.peli.com and www.pelicatalogue.com. Part No. 0050-100-000E JAN 22



Check out our latest posts on Peli Air Cases, get to know our Pro Users and take part in our different

This and more on the brand new PELI blog!



