



2025
**AIR CASES
CATALOGUE**



Peli Air cases have set a new benchmark in protective solutions, combining rugged durability with unmatched portability. Engineered for professionals and adventurers alike, these cases are up to 40% lighter than standard polymer cases, offering a perfect balance between strength and convenience. Whether safeguarding everyday essentials or extraordinary gear, Peli Air cases deliver trusted performance wherever your journey takes you.

Developed through years of meticulous engineering, Peli Air cases leverage advanced materials and design. Featuring proprietary HPX™ resin, honeycomb structural elements, and super-stiff full-box sections, these cases achieve an exceptional blend of lightness and strength. Manufactured in the U.S. and Germany and backed by Peli's legendary lifetime guarantee, they embody reliability you can count on.

AIR CASES

FEATURES **4-5**

PRODUCTS **6-13**

SPECIFICATIONS **14-17**

ACCESSORIES & APPLICATIONS **18-23**

Protection Solutions 18

Travel Cases 20

Lightweight Protection For Anyone 22



AIR CASES



■ UP TO 40% LIGHTER

From our proprietary blend of super-light next gen HPX2™ resin, the Peli Air collection is unique in that it is less rigid, allowing the case to flex and bend without breaking and to be up to 40% lighter than other polymer cases.

■ PRESS & PULL LATCHES

These smooth-opening, patented latches hold tight under pressure and impact with easy-opening performance. Tested to over 180 kg (400lbs.), yet open with a simple release button.

■ WATERTIGHT O-RING GASKET

The secret is the tongue and groove fit with a polymer o-ring which creates a watertight seal that gives each case its IP67 waterproof rating. Made from neoprene, these gaskets fit securely into a groove in the case lid, ensuring a tight seal when latched.

■ STAINLESS STEEL HASP PROTECTORS

Stainless steel hasp protectors for added strength and secure padlock compatibility, ensuring extra durability.

■ CARD HOLDER

Removable polycarbonate card holder, with front or side placement.

■ AUTOMATIC PURGE VALVE

Keeps water and dust out while balancing air pressure.



PELI™ AIR

SEE ALL



IP67 WATERTIGHT

Dustproof and waterproof up to depths of 1 meter for thirty minutes.

PRESS & PULL LATCHES

The Press & Pull latch is a unique latch that locks automatically, but opens with a light touch.

PANEL FRAME

This case can be adapted for use with an electronic interface panel.

+45% 45% DEEPER

With over 33 cm of depth, these cases have room for your deeper shaped equipment.

WHEELED CASE

Quiet rolling stainless-steel bearing wheels.

1505



INTERNAL DIMS:
46.5 x 33.7 x 13.9 cm
(18.29" x 13.26" x 5.46")

EXTERNAL DIMS:
51.4 x 41.6 x 15.5 cm
(20.22" x 16.38" x 6.10")

LID/BOTTOM DEPTH:
4.9 cm / 9 cm
1.93" / 3.53"

WEIGHT:
3 kg (6.55 lbs) WITH FOAM
2.6 kg (5.80 lbs) NO FOAM



NEW

1507



INTERNAL DIMS:
38.5 x 28.9 x 21.6 cm
(15.15 x 11.38 x 8.52")

EXTERNAL DIMS:
42.8 x 35.8 x 23.5 cm
(16.87 x 14.10 x 9.27")

LID/BOTTOM DEPTH:
5.2 cm / 16.5 cm
(1.75" / 4.37")

WEIGHT:
2.9 kg (6.43 lbs) WITH FOAM
2.4 kg (5.24 lbs) NO FOAM



1557



INTERNAL DIMS:
44 x 33 x 24.8 cm
(17.33 x 13.00 x 9.75")

EXTERNAL DIMS:
48.7 x 40.1 x 26.7 cm
(19.18 x 15.79 x 10.50")

LID/BOTTOM DEPTH:
5.1 cm / 19.6 cm
(2.00" / 7.70")

WEIGHT:
3.7 kg (8.20 lbs) WITH FOAM
3 kg (6.60 lbs) NO FOAM



1485



INTERNAL DIMS:
45.1 x 25.9 x 15.6 cm
(17.75 x 10.18 x 6.15")

EXTERNAL DIMS:
48.7 x 32.5 x 17.5 cm
(19.17 x 12.80 x 6.89")

LID/BOTTOM DEPTH:
4.6 cm / 11 cm
(1.80" / 4.35")

WEIGHT:
2.4 kg (5.39 lbs) WITH FOAM
2.1 kg (4.57 lbs) NO FOAM



*These colours are available upon minimum quantities, as well as other configurations. Check with your Customer Service representative for further details.

CASE CONTENTS NOT INCLUDED



1465 EMS AIR



INTERNAL DIMS:
47.3 x 25.4 x 27.8 cm
(18.62 x 9.99 x 10.93")

EXTERNAL DIMS:
52.9 x 32.1 x 32.4 cm
(20.83 x 12.62 x 12.75")

LID/BOTTOM DEPTH:
12.5 cm / 15.2 cm
(4.94" / 5.99")

WEIGHT (EMPTY):
6 kg (13.30 lbs.)



1465



INTERNAL DIMS:
47.3 x 25.4 x 27.8 cm
(18.62 x 9.99 x 10.93")

EXTERNAL DIMS:
52.9 x 32.1 x 32.4 cm
(20.83 x 12.62 x 12.75")

LID/BOTTOM DEPTH:
12.5 cm / 15.2 cm
(4.94" / 5.99")

WEIGHT:
4 kg (8.78 lbs) WITH FOAM
3.2 kg (7.12 lbs) NO FOAM



1506 AIR LONG/DEEP



INTERNAL DIMS:
47.5 x 23.9 x 19.8 cm
(18.70" x 9.40" x 7.80")

EXTERNAL DIMS:
51.1 x 30.5 x 21.7 cm
(20.12" x 12.02" x 8.56")

LID/BOTTOM DEPTH:
5.1 cm / 14.7 cm
(2" / 5.8")

WEIGHT:
2.9 kg (6.30 lbs) WITH FOAM
2.4 kg (5.35 lbs) NO FOAM



1535 CARRY-ON CASE**



INTERNAL DIMS:
51.8 x 28.4 x 18.3 cm
(20.39" x 11.20" x 7.21")

EXTERNAL DIMS:
55.8 x 35.5 x 22.8 cm
(21.96" x 13.97" x 8.98")

LID/BOTTOM DEPTH:
5.1 cm / 13.2 cm
(2.00" / 5.21")

WEIGHT:
4.5 kg (9.98 lbs) WITH FOAM
3.9 kg (8.69 lbs) NO FOAM



CASE CONTENTS NOT INCLUDED



Photo by Ana Catarina

1535TRVL CARRY-ON CASE**



INTERNAL DIMS:
51.8 x 28.4 x 18.3 cm
(20.39" x 11.20" x 7.21")

EXTERNAL DIMS:
55.8 x 35.5 x 22.8 cm
(21.96" x 13.97" x 8.98")

LID/BOTTOM DEPTH:
5.1 cm / 13.2 cm
(2.00" / 5.21")

WEIGHT (WITH ORGANIZERS):
5.5 kg (12.10 lbs)



1525



INTERNAL DIMS:
52.1 x 28.7 x 17.1 cm
(20.50" x 11.31" x 6.75")

EXTERNAL DIMS:
55.8 x 35.5 x 19 cm
(21.96" x 13.97" x 7.49")

LID/BOTTOM/TOTAL DEPTH:
5.1 cm / 12.1 cm / 17.1 cm
(2.00" / 4.75" / 6.75")

WEIGHT:
3.2 kg (7.13 lbs) WITH FOAM
2.7 kg (5.99 lbs) NO FOAM



ICONOGRAPHY

AIR



Dustproof and waterproof up to depths of 1 meter for thirty minutes.



The Press & Pull latch is a unique latch that locks automatically, but opens with a light touch.



Quiet rolling stainless-steel bearing wheels.

* These colours are available upon minimum quantities, as well as other configurations. Check with your Customer Service representative for further details.
** Check with your airline for exact measurement requirements.

CASE CONTENTS NOT INCLUDED

1607



INTERNAL DIMS:
53.5 x 40.2 x 29.5 cm
(21.05" x 15.81" x 11.63")

EXTERNAL DIMS:
61.3 x 47.8 x 33.7 cm
(24.13" x 18.80" x 13.25")

LID/BOTTOM DEPTH:
5.1 cm / 24.2 cm
2" / 9.6"

WEIGHT (EMPTY):
7.3 kg (16.10 lbs) WITH FOAM
6.0 kg (13.20 lbs) NO FOAM



1556



INTERNAL DIMS:
54.9 x 27.3 x 22.8 cm
(21.63" x 10.76" x 8.97")

EXTERNAL DIMS:
59.5 x 34.3 x 26.8 cm
(23.43" x 13.52" x 10.57")

LID/BOTTOM DEPTH:
5.1 cm / 17.7 cm
(2" / 6.97")

WEIGHT:
5.1 kg (11.20 lbs) WITH FOAM
4.4 kg (9.75 lbs) NO FOAM



1555



INTERNAL DIMS:
58.4 x 32.4 x 19.1 cm
(23.00" x 12.75" x 7.50")

EXTERNAL DIMS:
62.9 x 39.3 x 20.9 cm
(24.76" x 15.46" x 8.24")

LID/BOTTOM DEPTH:
5.1 cm / 14 cm
(2" / 5.5")

WEIGHT:
4.1 kg (9.02 lbs) WITH FOAM
3.3 kg (7.37 lbs) NO FOAM



1637



INTERNAL DIMS:
59.5 x 44.6 x 33.7 cm
(23.43" x 17.55" x 13.25")

EXTERNAL DIMS:
67.6 x 52.5 x 37.8 cm
(26.61" x 20.65" x 14.87")

LID/BOTTOM DEPTH:
5.1 cm / 28.4 cm
(2" / 11.2")

WEIGHT (EMPTY):
8.8 kg (19.40 lbs) WITH FOAM
6.9 kg (15.20 lbs) NO FOAM



1606



INTERNAL DIMS:
62.3 x 31.2 x 26 cm
(24.54" x 12.30" x 10.22")

EXTERNAL DIMS:
69.6 x 38.4 x 30 cm
(27.42" x 15.13" x 11.83")

LID/BOTTOM DEPTH:
5.1 cm / 20.9 cm
(2" / 8.22")

WEIGHT:
6.7 kg (14.67 lbs) WITH FOAM
5.6 kg (12.45 lbs) NO FOAM



CASE CONTENTS NOT INCLUDED

ICONOGRAPHY

AIR



Dustproof and waterproof up to depths of 1 meter for thirty minutes.



The Press & Pull latch is a unique latch that locks automatically, but opens with a light touch.



With over 33 cm of depth, these cases have room for your deeper shaped equipment.



Quiet rolling stainless-steel bearing wheels.



Photo by Anthony Van Stratum

1595 CHECK-IN CASE**

INTERNAL DIMS:
65 x 38.2 x 22.9 cm
(25.60" x 15.03" x 9.00")

EXTERNAL DIMS:
72.4 x 45.2 x 27.2 cm
(28.52" x 17.80" x 10.70")

LID/BOTTOM DEPTH:
5.1 cm / 17.6 cm
(2.00" / 6.92")

WEIGHT:
7.4 kg (16.35 lbs) WITH FOAM
6.2 kg (13.60 lbs) NO FOAM



1595TRVL CHECK-IN CASE**

INTERNAL DIMS:
64.8 x 37.6 x 22.7 cm
(25.53" x 14.82" x 8.92")

EXTERNAL DIMS:
72.4 x 45.4 x 27.3 cm
(28.52" x 17.89" x 10.73")

LID/BOTTOM DEPTH:
5.1 cm / 17.6 cm
(2.00" / 6.92")

WEIGHT (WITH ORGANIZERS):
7.3 kg (16.10 lbs)



1605

INTERNAL DIMS:
66 x 35.6 x 21.3 cm
(26.00" x 14.00" x 8.38")

EXTERNAL DIMS:
73.3 x 42.6 x 23.2 cm
(28.87" x 16.77" x 9.12")

LID/BOTTOM DEPTH:
5.1 cm / 16.2 cm
(2" / 6.38")

WEIGHT:
5.3 kg (11.61 lbs) WITH FOAM
4.2 kg (9.28 lbs) NO FOAM



1626

INTERNAL DIMS:
71.5 x 35.8 x 29.8 cm
(28.14" x 14.10" x 11.72")

EXTERNAL DIMS:
79 x 43.3 x 33.9 cm
(31.12" x 17.05" x 13.33")

LID/BOTTOM DEPTH:
5.1 cm / 24.7 cm
(2" / 9.72")

WEIGHT (EMPTY):
8.2 kg (18.10 lbs) WITH FOAM
6.6 kg (14.65 lbs) NO FOAM



1615 CHECK-IN CASE**

INTERNAL DIMS:
75.2 x 39.4 x 23.8 cm
(29.59" x 15.50" x 9.38")

EXTERNAL DIMS:
82.8 x 46.7 x 28 cm
(32.58" x 18.40" x 11.02")

LID/BOTTOM DEPTH:
5.1 cm / 18.7 cm
(2" / 7.38")

WEIGHT (EMPTY):
8 kg (17.60 lbs) WITH FOAM
6.4 kg (14.06 lbs) NO FOAM



1646

INTERNAL DIMS:
81.4 x 40.3 x 34.1 cm
(32.06" x 15.87" x 13.42")

EXTERNAL DIMS:
89.6 x 48.3 x 38.3 cm
(35.29" x 19.00" x 15.08")

LID/BOTTOM DEPTH:
5 cm / 29.1 cm
(1.98" / 11.44")

WEIGHT (EMPTY):
11.7 kg (25.70 lbs) WITH FOAM
9.3 kg (20.50 lbs) NO FOAM



1745

INTERNAL DIMS:
111.8 x 42.6 x 20.3 cm
(44.00" x 16.77" x 8.00")

EXTERNAL DIMS:
118.6 x 49.2 x 22.2 cm
(46.69" x 19.36" x 8.73")

LID/BOTTOM DEPTH:
6.4 cm / 13.8 cm
(2.51" / 5.43")

WEIGHT (EMPTY):
9.6 kg (21.06 lbs) WITH FOAM
7.8 kg (17.26 lbs) NO FOAM



1615TRVL CHECK-IN CASE**

INTERNAL DIMS:
75.2 x 39.4 x 23.8 cm
(29.59" x 15.50" x 9.38")

EXTERNAL DIMS:
82.8 x 46.7 x 28 cm
(32.58" x 18.40" x 11.02")

LID/BOTTOM DEPTH:
5.1 cm / 18.7 cm
(2" / 7.38")

WEIGHT (WITH ORGANIZERS):
8.6 kg (19.00 lbs)



1705

INTERNAL DIMS:
81.3 x 30.9 x 16.5 cm
(32.01" x 12.15" x 6.51")

EXTERNAL DIMS:
82 x 37 x 18.5 cm
(32.27" x 14.56" x 7.30")

LID/BOTTOM DEPTH:
5.1 cm / 10.9 cm
(2" / 4.31")

WEIGHT:
4.8 kg (10.55 lbs) WITH FOAM
4 kg (8.90 lbs) NO FOAM



1755

INTERNAL DIMS:
139.7 x 35.6 x 20.3 cm
(55.00" x 14.00" x 8.00")

EXTERNAL DIMS:
146.9 x 43.9 x 22.5 cm
(57.82" x 17.30" x 8.86")

LID/BOTTOM DEPTH:
6.4 cm / 14 cm
(2.5" / 5.5")

WEIGHT:
11.3 kg (25.00 lbs) WITH FOAM
9.1 kg (20.00 lbs) NO FOAM



ICONOGRAPHY

AIR

IP67 WATERTIGHT

Dustproof and waterproof up to depths of 1 meter for thirty minutes.

PRESS & PULL LATCHES

The Press & Pull latch is a unique latch that locks automatically, but opens with a light touch.

WHEELED CASE

Quiet rolling stainless-steel bearing wheels.

CASE CONTENTS NOT INCLUDED

CASE CONTENTS NOT INCLUDED

* These colours are available upon minimum quantities, as well as other configurations. Check with your Customer Service representative for further details.
** Check with your airline for exact measurement requirements.

* These colours are available upon minimum quantities, as well as other configurations. Check with your Customer Service representative for further details.
** Check with your airline for exact measurement requirements.

AIR CASES SPECIFICATIONS

CAT. NO.	INTERIOR DIMENSIONS	EXTERIOR DIMENSIONS	LID DEPTH	BOTTOM DEPTH	WEIGHT WITH FOAM	WEIGHT WITHOUT FOAM	BUOYANCY MAXIMUM	TEMPERATURE RANGE (Min/Max)	CERTIFICATES	TREKPAK™	PADDED DIVIDERS	RUBBERISED HANDLES	PANEL FRAMES	PERSONALISED NAMEPLATE	LID ORGANISER	WHEELS	COLOURS	CAT. NO.
1505	46.5 x 33.7 x 13.9 cm	51.4 x 41.6 x 15.5 cm	4.9 cm	9 cm	3 kg	2.6 kg	24.5 kg	-51 / 71 °C	IP67 • DEF STAN 81-42	O		S	S				■	1505
1507	38.5 x 28.9 x 21.6 cm	42.8 x 35.8 x 23.5 cm	5.2 cm	16.5 cm	2.9 kg	2.4 kg	24.5 kg	-51 / 71 °C	IP67 • DEF STAN 81-42			S	S				■ ■ ■ ■	1507
1557	44 x 33 x 24.8 cm	48.7 x 40.1 x 26.7 cm	5.1 cm	19.6 cm	3.7 kg	3.0 kg	36.3 kg	-51 / 71 °C	IP67 • DEF STAN 81-42	O	O	S	S				■ ■ ■ ■ *	1557
1485	45.1 x 25.9 x 15.6 cm	48.7 x 32.5 x 17.5 cm	4.6 cm	11 cm	2.4 kg	2.1 kg	18.6 kg	-51 / 71 °C	IP67 • DEF STAN 81-42	O	O	S	S				■ ■ ■ *	1485
1465EMS	47.3 x 25.4 x 27.8 cm	52.9 x 32.1 x 32.4 cm	12.5 cm	15.2 cm		6 kg	37.2 kg	-51 / 71 °C				S	S				■	1465EMS
1465	47.3 x 25.4 x 27.8 cm	52.9 x 32.1 x 32.4 cm	12.5 cm	15.2 cm	4 kg	3.2 kg	37.2 kg	-51 / 71 °C				S	S				■	1465
1506	47.5 x 23.9 x 19.8 cm	51.1 x 30.5 x 21.7 cm	5.1 cm	14.7 cm	2.9 kg	2.4 kg	23.4 kg	-51 / 71 °C	IP67 • DEF STAN 81-42	O		S	S				■	1506
1535	51.8 x 28.4 x 18.3 cm	55.8 x 35.5 x 22.8 cm	5.1 cm	13.2 cm	4.5 kg	3.9 kg	29.4 kg	-51 / 71 °C	IP67 • DEF STAN 81-42 • ATA 300	O	O	S	S	S			■ ■ ■ ■ ■ ■ ■ ■	1535
1535TRVL	51.8 x 28.4 x 18.3 cm	55.8 x 35.5 x 22.8 cm	5.1 cm	13.2 cm	N/A	5.5 kg with organizers	29.4 kg	-51 / 71 °C	IP67 • DEF STAN 81-42 • ATA 300			S	S	S			■ ■ ■ ■ ■	1535TRVL
1525	52.1 x 28.7 x 17.1 cm	55.8 x 35.5 x 19 cm	5.1 cm	12.1 cm	3.2 kg	2.7 kg	26.3 kg	-51 / 71 °C	IP67 • DEF STAN 81-42	O	O	S	S				■ ■ ■ ■ *	1525
1607	53.5 x 40.2 x 29.5 cm	61.3 x 47.8 x 33.7 cm	5.1 cm	24.2 cm	7.3 kg	6 kg	80.7 kg	-51 / 71 °C	IP67 • DEF STAN 81-42			S	S	S			■ ■ ■ ■	1607
1556	54.9 x 27.3 x 22.8 cm	59.5 x 34.3 x 26.8 cm	5.1 cm	17.7 cm	5.1 kg	4.4 kg	38.5 kg	-51 / 71 °C	IP67 • DEF STAN 81-42			S	S	S			■	1556
1555	58.4 x 32.4 x 19.1 cm	62.9 x 39.3 x 20.9 cm	5.1 cm	14 cm	4.1 kg	3.3 kg	36.8 kg	-51 / 71 °C	IP67 • DEF STAN 81-42	O	O	S	S				■ ■ ■ ■	1555

S = Standard feature | O = Optional accessory

* These colours are available upon minimum quantities, as well as other configurations. Check with your Customer Service representative for further details.

AIR CASES

CAT. NO.	INTERIOR DIMENSIONS	EXTERIOR DIMENSIONS	LID DEPTH	BOTTOM DEPTH	WEIGHT WITH FOAM	WEIGHT WITHOUT FOAM	BUOYANCY MAXIMUM	TEMPERATURE RANGE (Min/Max)	CERTIFICATES	TREKPAK™	PADDED DIVIDERS	RUBBERISED HANDLES	PANEL FRAMES	PERSONALISED NAMEPLATE	LID ORGANISER	WHEELS	COLOURS	CAT. NO.
1637	59.5 x 44.6 x 33.7 cm	67.6 x 52.5 x 37.8 cm	5.1 cm	28.4 cm	8.8 kg	6.9 kg	94.8 kg	-51 / 71 °C	IP67 • DEF STAN 81-42			S	S	S		■ ■ ■ ■ ■	1637	
1606	62.3 x 31.2 x 26 cm	69.6 x 38.4 x 30 cm	5.1 cm	20.9 cm	6.7 kg	5.6 kg	56.1 kg	-51 / 71 °C	IP67 • DEF STAN 81-42			S	S	S		■	1606	
1595	64.8 x 37.9 x 22.7 cm	72.4 x 45.4 x 27.3 cm	5.1 cm	17.6 cm	7.4 kg	6.2 kg	67.3 kg	-51 / 71 °C	IP67 • DEF STAN 81-42			S	S	S		■	1595	
1595 TRVL	64.8 x 37.6 x 22.7 cm	72.4 x 45.4 x 27.3 cm	5.1 cm	17.6 cm	N/A	7.3 kg with organizers	67.3 kg	-51 / 71 °C	IP67 • DEF STAN 81-42			S	S	S		■ ■ ■ ■ ■	1595 TRVL	
1605	66 x 35.6 x 21.3 cm	73.3 x 42.6 x 23.2 cm	5.1 cm	16.2 cm	5.3 kg	4.2 kg	51.2 kg	-51 / 71 °C	IP67 • DEF STAN 81-42	O	O	S	S			■ ■ ■ ■ ■ *	1605	
1626	71.5 x 35.8 x 29.8 cm	79 x 43.3 x 33.9 cm	5.1 cm	24.7 cm	8.2 kg	6.6 kg	84.1 kg	-51 / 71 °C	IP67 • DEF STAN 81-42			S	S	S		■	1626	
1615	75.2 x 39.4 x 23.8 cm	82.8 x 46.7 x 28 cm	5.1 cm	18.7 cm	8 kg	6.4 kg	76.7 kg	-51 / 71 °C	IP67 • DEF STAN 81-42	O	O	S	S	S		■ ■ ■ ■ ■ ■ ■ ■ ■ *	1615	
1615TRVL	75.2 x 39.4 x 23.8 cm	82.8 x 46.7 x 28 cm	5.1 cm	18.7 cm	N/A	8.6 kg with organizers	76.7 kg	-51 / 71 °C	IP67 • DEF STAN 81-42			S	S	S		■ ■ ■ ■ ■	1615TRVL	
1646	81.4 x 40.3 x 34.1 cm	89.6 x 48.3 x 38.3 cm	5 cm	29.1 cm	11.7 kg	9.3 kg	119.3 kg	-51 / 71 °C	IP67 • DEF STAN 81-42			S	S	S		■	1646	
1705	81.3 x 30.9 x 16.5 cm	82 x 37 x 18.5 cm	5.1 cm	10.9 cm	4.8 kg	4 kg	42.9 kg	-17.8 / 71.1° C	IP67 • DEF STAN 81-42				S			■	1705	
1745	111.8 x 42.6 x 20.3 cm	118.6 x 49.2 x 22.2 cm	6.4 cm	13.8 cm	9.6 kg	7.8 kg	98.4 kg	-51 / 71 °C	IP67 • DEF STAN 81-42			S	S	S		■	1745	
1755	139.7 x 35.6 x 20.3 cm	146.9 x 43.9 x 22.5 cm	6.4 cm	14 cm	11.3 kg	9.1 kg		-51 / 71 °C	IP67 • DEF STAN 81-42			S	S	S		■	1755	

PELI AIR CASE COLOURS AVAILABLE



Some colours may not be available in all models.

S = Standard feature | O = Optional accessory

* These colours are available upon minimum quantities, as well as other configurations. Check with your Customer Service representative for further details.




PROTECTION SOLUTIONS

ACCESSORIES



PREMIUM PROTECTION: PELI+TREKPAK™

The TrekPak™ system uses pre-installed wall sections, divider panels, locking pins and an infallible cutting tool. Just lay your gear in the case, measure and cut the divider sections and lock them in place with the steel U-pins. Learn more at peli.com/trekpak



EFFORTLESS PROTECTION: EASY PICK N PLUCK™

Peli Air cases have been designed to protect equipment of all kinds, no matter the size or shape. Most Peli protector cases come with our Pick N Pluck™ shock-absorbent foam, pre-scored in tiny cubes. The item is placed on the foam, outlined with chalk, and then the cubes around the item are removed to form a secure, protective cocoon.



HYBRID PROTECTION: PICK N PLUCK™+TREKPAK™

No longer choose between the versatility of the TrekPak divider system or the protection of the manually customisable Pick N Pluck™ foam. Peli Air Hybrid protection features both. Only available for the Peli Air 1535 case.



PADDED DIVIDER SYSTEM

- Full Sewn Tub with Felt Exterior
- Velcro™ Compatible Nylex™ Interior
- Elastic Hold Down Straps
- High-Visibility Yellow Interior
- Set Includes: 1 Tub, 2 Large Dividers, 6 Medium Dividers, 3 Small Dividers



EZ-CCLICK™ MOLLE PANEL

The first lid organiser of its kind that can quickly be released and swapped out without tools. Engineered to fit in the 1535 Peli Air case, the panel is compatible with user-supplied MOLLE pouches and Velcro™ brand straps.



TRAVEL CASES

LIVE YOUR ADVENTURES WITH TOTAL PEACE OF MIND

Travelling with equipment in the field is one of the biggest issues for professionals who are frequently on the road or for those who go outdoors to live their adventures. Now you can travel smarter thanks to Peli Air Travel (TRVL) Cases.

Just take your indestructible and lightweight travel companion with you and Bon Voyage!

Lid organisers have zippered compartments for stowing larger items and see-through mesh pockets secure passports and cables. Packing cubes keep gear tightly bundled and allow you to arrange your gear by stacking or grouping side by side. Peli Air Travel Cases are also built for versatility. Just remove the packing cubes and replace with optional Trekpak™ dividers, padded dividers or Pick N Pluck™ foam interior solutions (available separately).

PELI™ AIR 1615 TRAVEL CASE -WHEELED CHECK-IN*

Maximum airline dimensions for checked baggage without oversize charges.

PELI™ AIR 1595 TRAVEL CASE -WHEELED CHECK-IN*

Mid-sized checked luggage.



PELI™ AIR 1535 TRAVEL CASE -WHEELED CARRY-ON*

Optimized for carry-on/overhead bin size.




FLY PAST ADDED LUGGAGE CHARGES

The Peli Air 1535 Travel case is optimised for carry-on/overhead bin sizes and the Peli Air 1615 Travel case is built to maximum airline dimensions* for checked baggage. The new Peli Air 1595 Check-in Travel case is the "in-between" size.

* Check with your airline for exact measurement requirements.

LIGHTWEIGHT PROTECTION FOR ANYONE



PREMIUM PROTECTION FOR PRO CAMERAS

Having the right camera and being passionate about what you do is key to be a successful photographer. However, having the right protection for your valuable gear will help you focus on the job without worries.

The right camera case will allow you to travel safe, no matter where! Your equipment will be safe from weather conditions and rough handling.

Peli Air cases offer lightweight impact protection for all kind of cameras and with enough additional space for lenses, cables, optics and other accessories. Up to 40% lighter than other polymer protector cases, Peli Air is the preferred companion of those outdoor or travel photographers who need to travel lightweight, but still need the best of protection for their valuable DSLR cameras.



LEARN MORE
www.peli.com/air-cameras

Complement your Peli Air case with Peli's extremely handy memory card cases or micro cases to store the smaller accessories.

Learn more at Peli.com.



DEEP SIZED CASES FOR ULTIMATE DRONE FIT

Peli Air cases will allow you to travel comfortably, while still offering the best protection for your drone.

Portability and compact-size have become important criteria when choosing a drone and thus the need of having a high impact resistant and efficient carrying case has become imperative.

With over 33 cm of depth, the deeper sized models will allow you to easily fit in your larger drone or quadcopter with all its accessories, like blades, props, cables, goggles, chargers and more.



LEARN MORE
www.peli.com/drone-cases

ONE SIZE DOESN'T FIT ALL

Peli understands that finding the right protection, with the perfect fit for your gear, is a priority. Peli Air began with long protection and quickly grew to offer you deep protection. The time has come to combine those two in order to create Peli's Long/Deep Series (cases 1506, 1556, 1606 and 1626).

Peli Air cases offer both long, deep, and long/deep variations you won't find in our Peli Protector Case line.

374
14.72

A

D



C

A

**EMEI HEADQUARTERS
PELI PRODUCTS, S.L.U.**

C/ Provença, 388 Planta 7
08025 Barcelona • Spain
Tel +34 934 674 999

**PELI PRODUCTS
FRANCE S.A.S.**

20/22 Rue des Petits Hôtels
75010 Paris • France
Tel +33 (0)1 44 83 95 63

**PELI PRODUCTS
GERMANY GmbH**

Neudorfer Strasse 285 C
09474 Crottendorf • Germany
Tel +49 (0)37344 313999

381.5
15.00